




# 00X114LE060

110 Delta Drive  
 Pittsburgh, PA 15238  
 NAFTA Sales: (1)800-245-3984  
 HK Sales : (852)3102-9337  
 magnetics@spang.com  
 www.mag-inc.com



XFLUX Permeability ( $\mu$ )	$A_L$ (nH/T <sup>2</sup> )	Core Marking	
		Lot Number	Part number
60	445 $\pm$ 8%	XXXXXX	X114LE060

	Dimensions		Tolerance ( $\pm$ )			Packaging
	(mm)	(in)	(mm)	(in)		
<b>A</b>	114.3	4.500	0.762	0.030		Cardboard cut-outs Box Qty= 18 pc.
<b>B</b>	46.18	1.818	0.381	0.015		
<b>C</b>	34.93	1.375	0.381	0.015		
<b>D</b>	28.60	1.126	-	-	Min	<b>Available Hardware</b>
<b>E</b>	79.50	3.13	-	-	Min	<b>00B114LB1</b>
<b>F</b>	35.10	1.382	0.381	0.015		
<b>L</b>	17.2	0.676	-	-	Nom	
<b>M</b>	22.1	0.874	-	-	Min	

Physical Characteristics					Notes:
Temperature Rating	Cross Section $A_e$ (mm <sup>2</sup> )	Path Length $L_e$ (mm)	Volume $V_e$ (mm <sup>3</sup> )	Weight (g)	
Curie Temp: 700°C	1220	215	262,000	970	

## Typical DC Bias Performance

