



Test Report

頁數(Page): 1 of 45 號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant

as):

送樣廠商(Sample Submitted By)

MAGNETICS DIVISION OF SPANG & COMPANY

樣品名稱(Sample Name)

FERRITE Z COATING

收件日(Sample Receiving Date)

08-Nov-2023

測試期間(Testing Period)

08-Nov-2023 to 14-Nov-2023

測試需求(Test Requested)

(1) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results) 論(Conclusion) 結

請參閱下一頁 (Please refer to following pages.)

(1) 根據客戶所提供的樣品,其編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863

amending Annex II to Directive 2011/65/EU.)







Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 2 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

測試部位敘述 (Test Part Description)

No.1 : 灰色塊狀 (GRAY LUMP)

測試結果 (Test Results)

| 測試項目 | 測試方法 | 單位 | MDL | 結果 | 限值 |
|------------------------------------|---------------------------------------|--------|-----|----------|---------|
| (Test Items) | (Method) | (Unit) | | (Result) | (Limit) |
| | | | | No.1 | |
| 鎘 (Cd) (Cadmium (Cd)) | 參考IEC 62321-5: 2013·以感應耦合電漿 | mg/kg | 2 | n.d. | 100 |
| | 發射光譜儀分析。(With reference to IEC | | | | |
| | 62321-5: 2013, analysis was performed | | | | |
| | by ICP-OES.) | | | | |
| 鉛 (Pb) (Lead (Pb)) | 参考IEC 62321-5: 2013 · 以感應耦合電漿 | mg/kg | 2 | 2.75 | 1000 |
| | 發射光譜儀分析。(With reference to IEC | | | | |
| | 62321-5: 2013, analysis was performed | | | | |
| | by ICP-OES.) | | | | |
| 汞 (Hg) (Mercury (Hg)) | 參考IEC 62321-4: 2013+ AMD1: 2017 | mg/kg | 2 | n.d. | 1000 |
| | 以感應耦合電漿發射光譜儀分析。(With | | | | |
| | reference to IEC 62321-4: 2013+ AMD1: | | | | |
| | 2017, analysis was performed by ICP- | | | | |
| | OES.) | | | | |
| 六價鉻 Cr(VI) (Hexavalent Chromium | 参考IEC 62321-7-2: 2017,以紫外光-可見 | mg/kg | 8 | n.d. | 1000 |
| Cr(VI)) | 光分光光度計分析。(With reference to | | | | |
| | IEC 62321-7-2: 2017, analysis was | | | | |
| | performed by UV-VIS.) | | | | |
| 一溴聯苯 (Monobromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 二溴聯苯 (Dibromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 三溴聯苯 (Tribromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 四溴聯苯 (Tetrabromobipheny l) | ┃ ●参考IEC 62321-6: 2015·以氣相層析儀/質 | mg/kg | 5 | n.d. | - |
| 五溴聯苯 (Pentabromobiphenyl) | 普儀分析。(With reference to IEC 62321- | mg/kg | 5 | n.d. | - |
| 六溴聯苯 (Hexabromobiphenyl) | 6: 2015, analysis was performed by | mg/kg | 5 | n.d. | - |
| 七溴聯苯 (Heptabromobipheny l) | GC/MS.) | mg/kg | 5 | n.d. | - |
| 八溴聯苯 (Octabromobipheny l) | | mg/kg | 5 | n.d. | - |
| 九溴聯苯 (Nonabromobipheny l) | | mg/kg | 5 | n.d. | - |
| 十溴聯苯 (Decabromobipheny l) | | mg/kg | 5 | n.d. | - |
| 多溴聯苯總和 (Sum of PBBs) | | mg/kg | ı | n.d. | 1000 |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 3 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) | 限值 (Limit) |
|--|--|--------------|-----|----------------|---------------|
| (rest items) | (ivietilou) | (OIIII) | | No.1 | (2111111) |
| 一溴聯苯醚 (Monobromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 二溴聯苯醚 (Dibromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 三溴聯苯醚 (Tribromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 四溴聯苯醚 (Tetrabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 五溴聯苯醚 (Pentabromodiphenyl ether) | 冬 差 F(6 / 3 / 1 - 6° / 1) 5 1 / 3 41 9 11 12 15 | mg/kg | 5 | n.d. | - |
| 六溴聯苯醚 (Hexabromodiphenyl ether) | 6: 2015, analysis was performed by | mg/kg | 5 | n.d. | - |
| 七溴聯苯醚 (Heptabromodiphenyl ether) | GC/MS.) | mg/kg | 5 | n.d. | - |
| 八溴聯苯醚 (Octabromodiphenyl ether) | GC/1V13.) | mg/kg | 5 | n.d. | - |
| 九溴聯苯醚 (Nonabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 十溴聯苯醚 (Decabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 多溴聯苯醚總和 (Sum of PBDEs) | | mg/kg | ı | n.d. | 1000 |
| 鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di- (2-ethylhexyl) phthalate (DEHP)) | | mg/kg | 50 | n.d. | 1000 |
| 鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP)) | | mg/kg | 50 | n.d. | 1000 |
| 鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP)) | | mg/kg | 50 | n.d. | 1000 |
| 鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP)) | 參考IEC 62321-8: 2017 · 以氣相層析儀/質 譜儀分析。(With reference to IEC 62321- | mg/kg | 50 | n.d. | 1000 |
| 鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1) | 8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | - |
| 鄰苯二甲酸二異壬酯 (DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0) | | mg/kg | 50 | n.d. | - |
| 鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0) | | mg/kg | 50 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 4 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|---|--|--------------|------|------------------------|---------------|
| 四溴雙酚-A (TBBP-A) (Tetrabromobisphenol A (TBBP-A)) (CAS No.: 79-94-7) | 參考RSTS-E&E-121 · 以液相層析儀/質譜 儀分析。(With reference to RSTS-E&E- 121, analysis was performed by LC/MS.) | mg/kg | 10 | n.d. | 1 |
| 氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8) | | mg/kg | 50 | n.d. | - |
| 氯 (CI) (Chlorine (CI)) (CAS No.: 22537- 15-1) | 参考BS EN 14582: 2016·以離子層析儀分析。(With reference to BS EN 14582: | mg/kg | 50 | 161 | - |
| 溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2) | 2016, analysis was performed by IC.) | mg/kg | 50 | n.d. | - |
| 碘 (I) (Iodine (I)) (CAS No.: 14362-44-8) | | mg/kg | 50 | n.d. | - |
| 全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) | 參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to | mg/kg | 0.01 | n.d. | - |
| 全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts) | CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | - |
| 多氯聯苯 (PCBs) (Polychlorinated biphenyls (PCBs)) | 参考US EPA 3550C: 2007·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) | mg/kg | 0.5 | n.d. | - |
| 多氯奈 (PCNs) (Polychlorinated naphthalene (PCNs)) | 參考US EPA 3550C: 2007 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | - |
| 多氯三聯苯 (PCTs) (Polychlorinated terphenyls (PCTs)) | 參考US EPA 3550C: 2007·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) | mg/kg | 0.5 | n.d. | - |
| 富馬酸二甲酯 (DMFu) (Dimethyl fumarate (DMFu)) (CAS No.: 624-49-7) | 參考US EPA 3550C: 2007·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 5 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|--|--|--------------|-----|------------------------|---------------|
| 石綿 (Asbestos) | | | | 110.1 | |
| 陽起石綿 (Actinolite) (CAS No.: 77536- 66-4) | | - | - | Negative | - |
| 褐石綿/鐵石綿 (Amosite) (CAS No.: 12172-73-5) | 参考EPA 600/R-93/116: 1993 · 以立體顯微鏡(SM)與分散染色式偏光顯微鏡(DS- | - | - | Negative | - |
| 斜方角閃石綿 (Anthophyllite) (CAS No.: 77536-67-5) | PLM)及X光繞射光譜分析法(XRD)分析。 (With reference to EPA 600/R-93/116: 1993, analysis was performed by Stereo | - | 1 | Negative | - |
| 白石綿/溫石綿 (Chrysotile) (CAS No.: 12001-29-5) | Microscope (SM), Dispersion Staining Polarized Light Microscope (DS-PLM) | - | ı | Negative | - |
| 青石綿 (Crocidolite) (CAS No.: 12001- 28-4) | and X-ray Diffraction Spectrometer (XRD).) | - | 1 | Negative | - |
| 透閃石綿 (Tremolite) (CAS No.: 77536-68-6) | (() | - | - | Negative | - |
| 偶氮染料 (AZO Dyes) | | | | | |
| 4-氨基二苯 (4-aminodiphenyl) (CAS No.: 92-67-1) | 參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.) | mg/kg | 3 | n.d. | - |
| 聯苯胺 (Benzidine) (CAS No.: 92-87-5) | 參考EN ISO 14362-1: 2017‧以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.) | mg/kg | 3 | n.d. | - |
| 4-氯鄰甲苯胺 (4-chloro-o-toluidine) (CAS No.: 95-69-2) | 參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.) | mg/kg | З | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 6 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 | 測試方法 | 單位 | MDL | 結果 | 限值 |
|--------------------------------------|---------------------------------------|--------|-----|----------|---------|
| (Test Items) | (Method) | (Unit) | | (Result) | (Limit) |
| | · | | | No.1 | |
| 2-萘胺 (2-naphthylamine) (CAS No.: 91- | 參考EN ISO 14362-1: 2017 · 以氣相層析 | mg/kg | 3 | n.d. | _ |
| 59-8) | 質譜儀及高效液相層析儀/二極體陣列偵測 | | | | |
| | 器分析。(With reference to EN ISO | | | | |
| | 14362-1: 2017, analysis was performed | | | | |
| | by GC/MS and HPLC/DAD.) | | | | |
| 鄰-胺基偶氮甲苯 (o-aminoazotoluene) | 參考EN ISO 14362-1: 2017,以氣相層析 | mg/kg | 3 | n.d. | - |
| (CAS No.: 97-56-3) | 質譜儀及高效液相層析儀/二極體陣列偵測 | | | | |
| | 器分析。(With reference to EN ISO | | | | |
| | 14362-1: 2017, analysis was performed | | | | |
| | by GC/MS and HPLC/DAD.) | | | | |
| 2-胺基-4-硝基甲苯 (5-nitro-o-toluidine) | 參考EN ISO 14362-1: 2017 · 以氣相層析 | mg/kg | 3 | n.d. | - |
| (CAS No.: 99-55-8) | 質譜儀及高效液相層析儀/二極體陣列偵測 | | | | |
| | 器分析。(With reference to EN ISO | | | | |
| | 14362-1: 2017, analysis was performed | | | | |
| | by GC/MS and HPLC/DAD.) | | | | |
| 4-氯苯胺 (4-chloroaniline) (CAS No.: | 參考EN ISO 14362-1: 2017,以氣相層析 | mg/kg | 3 | n.d. | - |
| 106-47-8) | 質譜儀及高效液相層析儀/二極體陣列偵測 | | | | |
| | 器分析。(With reference to EN ISO | | | | |
| | 14362-1: 2017, analysis was performed | | | | |
| | by GC/MS and HPLC/DAD.) | | | | |
| 2,4-二氨基苯甲醚 (2,4-diaminoanisole) | 參考EN ISO 14362-1: 2017,以氣相層析 | mg/kg | 3 | n.d. | - |
| (CAS No.: 615-05-4) | 質譜儀及高效液相層析儀/二極體陣列偵測 | | | | |
| | 器分析。(With reference to EN ISO | | | | |
| | 14362-1: 2017, analysis was performed | | | | |
| | by GC/MS and HPLC/DAD.) | | | | |
| 4,4'-二胺基二苯甲烷 (4,4'- | 参考EN ISO 14362-1: 2017,以氣相層析 | mg/kg | 3 | n.d. | - |
| diaminodiphenylmethane (MDA)) (CAS | 質譜儀及高效液相層析儀/二極體陣列偵測 | | | | |
| No.: 101-77-9) | 器分析。(With reference to EN ISO | | | | |
| | 14362-1: 2017, analysis was performed | | | | |
| | by GC/MS and HPLC/DAD.) | | | | |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 7 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|---|--|--------------|-----|------------------------|---------------|
| 3,3'-二氯聯苯胺 (3,3'-dichlorobenzidine) (CAS No.: 91-94-1) | 質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.) | mg/kg | 3 | n.d. | - |
| 3,3'-二甲氧基聯苯胺 (3,3'-dimethoxybenzidine) (CAS No.: 119-90-4) | 參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.) | mg/kg | 3 | n.d. | 1 |
| 3,3'-二甲基聯苯胺 (3,3'-dimethylbenzidine) (CAS No.: 119-93-7) | 參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.) | mg/kg | 3 | n.d. | - |
| 3,3'-二甲基-4,4'-二胺基二苯甲烷 (3,3'-dimethyl-4,4'-diaminodiphenylmethane) (CAS No.: 838-88-0) | 參考EN ISO 14362-1: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.) | mg/kg | 3 | n.d. | |
| 2-甲氧基-5-甲基苯胺 (2-methoxy-5-methylaniline) (CAS No.: 120-71-8) | 參考EN ISO 14362-1: 2017·以氣相層析 質譜儀及高效液相層析儀/二極體陣列偵測 器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.) | mg/kg | 3 | n.d. | - |
| 4,4'-亞甲雙(2-氯苯胺) (4,4'-methylene- bis-(2-chloroaniline)) (CAS No.: 101-14- 4) | 參考EN ISO 14362-1: 2017‧以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.) | mg/kg | 3 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 8 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 | 測試方法 | 單位 | MDL | 結果 | 限值 |
|--|---------------------------------------|--------|-----|----------|---------|
| (Test Items) | (Method) | (Unit) | | (Result) | (Limit) |
| | | | | No.1 | |
| 4,4'-二胺基二苯醚 (4,4'-oxydiani l ine) | 參考EN ISO 14362-1: 2017 · 以氣相層析 | mg/kg | 3 | n.d. | - |
| (CAS No.: 101-80-4) | 質譜儀及高效液相層析儀/二極體陣列偵測 | | | | |
| | 器分析。(With reference to EN ISO | | | | |
| | 14362-1: 2017, analysis was performed | | | | |
| | by GC/MS and HPLC/DAD.) | | | | |
| 4,4'-硫二苯胺 (4,4'-thiodianiline) (CAS | 參考EN ISO 14362-1: 2017 · 以氣相層析 | mg/kg | 3 | n.d. | - |
| No.: 139-65-1) | 質譜儀及高效液相層析儀/二極體陣列偵測 | | | | |
| | 器分析。(With reference to EN ISO | | | | |
| | 14362-1: 2017, analysis was performed | | | | |
| | by GC/MS and HPLC/DAD.) | | | | |
| 鄰-甲苯胺 (o-toluidine) (CAS No.: 95- | 參考EN ISO 14362-1: 2017,以氣相層析 | mg/kg | 3 | n.d. | - |
| 53-4) | 質譜儀及高效液相層析儀/二極體陣列偵測 | | | | |
| | 器分析。(With reference to EN ISO | | | | |
| | 14362-1: 2017, analysis was performed | | | | |
| | by GC/MS and HPLC/DAD.) | | | | |
| 2,4-甲苯二胺 (2,4-diaminotoluene) (CAS | | mg/kg | 3 | n.d. | - |
| No.: 95-80-7) | 質譜儀及高效液相層析儀/二極體陣列偵測 | | | | |
| | 器分析。(With reference to EN ISO | | | | |
| | 14362-1: 2017, analysis was performed | | | | |
| | by GC/MS and HPLC/DAD.) | | | | |
| 2,4,5-三甲苯胺 (2,4,5-trimethylaniline) | 參考EN ISO 14362-1: 2017 · 以氣相層析 | mg/kg | 3 | n.d. | - |
| (CAS No.: 137-17-7) | 質譜儀及高效液相層析儀/二極體陣列偵測 | | | | |
| | 器分析。(With reference to EN ISO | | | | |
| | 14362-1: 2017, analysis was performed | | | | |
| | by GC/MS and HPLC/DAD.) | | | | |
| 鄰-甲氧基苯胺 (o-anisidine) (CAS No.: | 参考EN ISO 14362-1: 2017,以氣相層析 | mg/kg | 3 | n.d. | - |
| 90-04-0) | 質譜儀及高效液相層析儀/二極體陣列偵測 | | | | |
| | 器分析。(With reference to EN ISO | | | | |
| | 14362-1: 2017, analysis was performed | | | | |
| | by GC/MS and HPLC/DAD.) | | | | |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 9 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|---|---|--------------|-----|------------------------|---------------|
| 4-苯基偶氮基苯胺 (4-aminoazobenzene) (CAS No.: 60-09-3) | 參考EN ISO 14362-1: 2017 or/and EN ISO 14362-3: 2017 · 以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。 (With reference to EN ISO 14362-1: 2017 or/and EN ISO 14362-3: 2017, analysis was performed by GC/MS & HPLC/DAD.) | mg/kg | 3 | n.d. | 1 |
| 2,4-二甲基苯胺 (2,4-xylidine) (CAS No.: 95-68-1) | 參考EN ISO 14362-1: 2017‧以氣相層析質譜儀及高效液相層析儀/二極體陣列偵測器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.) | mg/kg | 3 | n.d. | - |
| 2,6-二甲基苯胺 (2,6-xylidine) (CAS No.: 87-62-7) | 參考EN ISO 14362-1: 2017‧以氣相層析 質譜儀及高效液相層析儀/二極體陣列偵測 器分析。(With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.) | mg/kg | 3 | n.d. | - |
| 聚氯乙烯 (Polyvinyl chloride) (PVC) | 參考ASTM E1252: 2021 · 以傅立葉轉換紅外線光譜儀及焰色法分析。(With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.) | ** | - | Negative | 1 |
| 紅磷 (Red Phosphorus) | 以熱裂解-氣相層析儀/質譜儀分析。 (Analysis was performed by Pyrolyzer- GC/MS.) | ** | - | Negative | - |
| 氟氯碳化物 (Chlorofluorocarbons) (CFCs) | | | | | |
| CFC-13 (CAS No.: 75-72-9) | 參考US EPA 5021A: 2014,以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 10 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|-------------------------------|--|--------------|-----|------------------------|---------------|
| CFC-111 (CAS No.: 354-56-3) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| CFC-112 (CAS No.: 76-12-0) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| CFC-211 (CAS No.: 422-78-6) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| CFC-212 (CAS No.: 3182-26-1) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| CFC-213 (CAS No.: 2354-06-5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| CFC-214 (CAS No.: 29255-31-0) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| CFC-215 (CAS No.: 4259-43-2) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| CFC-216 (CAS No.: 661-97-2) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 11 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 | 測試方法 | 單位 | MDL | 結果 | 限值 |
|------------------------------------|--|--------|-----|----------|---------|
| (Test Items) | (Method) | (Unit) | | (Result) | (Limit) |
| | | | | No.1 | |
| CFC-217 (CAS No.: 422-86-6) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ | mg/kg | 1 | n.d. | - |
| | 質譜儀分析。(With reference to US EPA | | | | |
| | 5021A: 2014, analysis was performed by | | | | |
| | GC/MS.) | | | | |
| CFC-12 (CAS No.: 75-71-8) | 参考US EPA 5021A: 2014,以氣相層析儀/ | mg/kg | 1 | n.d. | - |
| | 質譜儀分析。(With reference to US EPA | | | | |
| | 5021A: 2014, analysis was performed by | | | | |
| | GC/MS.) | | | | |
| CFC-11 (CAS No.: 75-69-4) | 參考US EPA 5021A: 2014,以氣相層析儀/ | mg/kg | 1 | n.d. | - |
| | 質譜儀分析。(With reference to US EPA | | | | |
| | 5021A: 2014, analysis was performed by | | | | |
| | GC/MS.) | | | | |
| CFC-115 (CAS No.: 76-15-3) | 參考US EPA 5021A: 2014,以氣相層析儀/ | mg/kg | 1 | n.d. | - |
| | 質譜儀分析。(With reference to US EPA | | | | |
| | 5021A: 2014, analysis was performed by | | | | |
| | GC/MS.) | | | | |
| CFC-114 (CAS No.: 76-14-2) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ | mg/kg | 1 | n.d. | - |
| | 質譜儀分析。(With reference to US EPA | | | | |
| | 5021A: 2014, analysis was performed by | | | | |
| | GC/MS.) | | | | |
| CFC-113 (CAS No.: 76-13-1) | 参考US EPA 5021A: 2014,以氣相層析儀/ | mg/kg | 1 | n.d. | - |
| | 質譜儀分析。(With reference to US EPA | | | | |
| | 5021A: 2014, analysis was performed by | | | | |
| | GC/MS.) | | | | |
| 氟氯氫烷碳化物 | | | | | |
| (Hydrochlorofluorocarbons) (HCFCs) | | | | | |
| HCFC-21 (CAS No.: 75-43-4) | 参考US EPA 5021A: 2014 · 以氣相層析儀/ | mg/kg | 1 | n.d. | - |
| | 質譜儀分析。(With reference to US EPA | | | | |
| | 5021A: 2014, analysis was performed by | | | | |
| | GC/MS.) | | | | |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 12 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|--------------------------------|--|--------------|-----|------------------------|---------------|
| HCFC-22 (CAS No.: 75-45-6) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| HCFC-31 (CAS No.: 593-70-4) | 參考US EPA 5021A: 2014,以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-121 (CAS No.: 354-14-3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-122 (CAS No.: 354-21-2) | 參考US EPA 5021A: 2014.以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-123 (CAS No.: 306-83-2) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-124 (CAS No.: 2837-89-0) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-131 (CAS No.: 359-28-4) | 參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-132b (CAS No.: 1649-08-7) | 參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 13 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|--------------------------------|--|--------------|-----|------------------------|---------------|
| HCFC-133a (CAS No.: 75-88-7) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| HCFC-142b (CAS No.: 75-68-3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-221 (CAS No.: 422-26-4) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-222 (CAS No.: 422-49-1) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-223 (CAS No.: 422-52-6) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-224 (CAS No.: 422-54-8) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-225ca (CAS No.: 422-56-0) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-225cb (CAS No.: 507-55-1) | 參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 14 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|-------------------------------|--|--------------|-----|------------------------|---------------|
| HCFC-226 (CAS No.: 431-87-8) | 参考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-231 (CAS No.: 421-94-3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-232 (CAS No.: 460-89-9) | 參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-233 (CAS No.: 7125-84-0) | 參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-234 (CAS No.: 425-94-5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-235 (CAS No.: 460-92-4) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-241 (CAS No.: 666-27-3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-242 (CAS No.: 460-63-9) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 15 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|--------------------------------|--|--------------|-----|------------------------|---------------|
| HCFC-244 | 參考US EPA 5021A: 2014 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| HCFC-251 (CAS No.: 421-41-0) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-252 (CAS No.: 819-00-1) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-261 (CAS No.: 420-97-3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-262 (CAS No.: 421-02-03) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-271 (CAS No.: 430-55-7) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-141b (CAS No.: 1717-00-6) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-243 (CAS No.: 460-69-5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 16 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|---|--|--------------|-----|------------------------|---------------|
| HCFC-253 (CAS No.: 460-35-5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-141 | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-142 | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-151 | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HCFC-225 | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 海龍 (Halons) Halon-1211 (CAS No.: 353-59-3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| Halon-1301 (CAS No.: 75-63-8) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 海龍-2402 (Halon-2402) (CAS No.: 124-73-2) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 17 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|--|--|--------------|-----|------------------------|---------------|
| 溴甲烷 (Methyl Bromide) (CAS No.: 74-83-9) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 不完全鹵化氟溴化物 (Hydrobromofluorocarbons) (HBFCs) | | | | | |
| HBFC-271B1 (C3H6FBr) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-262B1 (C3H5F2Br) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-261B2 (C3H5FBr2) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-253B1 (C3H4F3Br) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-252B2 (C3H4F2Br2) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-251B3 (C3H4FBr3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 18 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|------------------------|--|--------------|-----|------------------------|---------------|
| HBFC-244B1 (C3H3F4Br) | 參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-243B2 (C3H3F3Br2) | 參考US EPA 5021A: 2014.以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-242B3 (C3H3F2Br3) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-241B4 (C3H3FBr4) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-235B1 (C3H2F5Br) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-234B2 (C3H2F4Br2) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-233B3 (C3H2F3Br3) | 參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-232B4 (C3H2F2Br4) | 參考US EPA 5021A: 2014.以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 19 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|-----------------------|--|--------------|-----|------------------------|---------------|
| HBFC-231B5 (C3H2FBr5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-226B1 (C3HF6Br) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-225B2 (C3HF5Br2) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-224B3 (C3HF4Br3) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-223B4 (C3HF3Br4) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-222B5 (C3HF2Br5) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-221B6 (C3HFBr6) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-151B1 (C2H4FBr) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 20 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|------------------------|--|--------------|-----|------------------------|---------------|
| HBFC-142B1 (C2H3F2Br) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| HBFC-141B2 (C2H3FBr2) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-133B1 (C2H2F3Br) | 参考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-132B2 (C2H2F2Br2) | 參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-131B3 (C2H2FBr3) | 参考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-124B1 (C2HF4Br) | 参考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-123B2 (C2HF3Br2) | 參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HBFC-122B3 (C2HF2Br3) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 21 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 | 測試方法 | 單位 | MDL | 結果 | 限值 |
|--------------------------------------|--|--------|-----|----------|---------|
| (Test Items) | (Method) | (Unit) | | (Result) | (Limit) |
| | | | | No.1 | |
| HBFC-121B4 (C2HFBr4) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ | mg/kg | 1 | n.d. | - |
| | 質譜儀分析。(With reference to US EPA | | | | |
| | 5021A: 2014, analysis was performed by | | | | |
| | GC/MS.) | | | | |
| HBFC-31B1 (CH2FBr) (CAS No.: 373-52- | 参考US EPA 5021A: 2014 · 以氣相層析儀/ | mg/kg | 1 | n.d. | - |
| 4) | 質譜儀分析。(With reference to US EPA | | | | |
| | 5021A: 2014, analysis was performed by | | | | |
| | GC/MS.) | | | | |
| HBFC-22B1 (CHF2Br) (CAS No.: 1511- | 参考US EPA 5021A: 2014 · 以氣相層析儀/ | mg/kg | 1 | n.d. | - |
| 62-2) | 質譜儀分析。(With reference to US EPA | | | | |
| | 5021A: 2014, analysis was performed by | | | | |
| | GC/MS.) | | | | |
| HBFC-21B2 (CHFBr2) (CAS No.: 1868- | 参考US EPA 5021A: 2014 · 以氣相層析儀/ | mg/kg | 1 | n.d. | - |
| 53-7) | 質譜儀分析。(With reference to US EPA | | | | |
| | 5021A: 2014, analysis was performed by | | | | |
| | GC/MS.) | | | | |
| 氫氟碳化合物 (Hydrofluorocarbon) (HFCs) | | | | | |
| HFC-23 (CHF3) (CAS No.: 75-46-7) | 参考US EPA 5021A: 2014 · 以氣相層析儀/ | mg/kg | 1 | n.d. | _ |
| | 質譜儀分析。(With reference to US EPA | J. J | | | |
| | 5021A: 2014, analysis was performed by | | | | |
| | GC/MS.) | | | | |
| HFC-32 (CH2F2) (CAS No.: 75-10-5) | 參考US EPA 5021A: 2014,以氣相層析儀/ | mg/kg | 1 | n.d. | - |
| | 質譜儀分析。(With reference to US EPA | | | | |
| | 5021A: 2014, analysis was performed by | | | | |
| | GC/MS.) | | | | |
| HFC-41 (CH3F) (CAS No.: 593-53-3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ | mg/kg | 1 | n.d. | - |
| | 質譜儀分析。(With reference to US EPA | | | | |
| | 5021A: 2014, analysis was performed by | | | | |
| | GC/MS.) | | | | |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 22 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|--|--|--------------|-----|------------------------|---------------|
| HFC-43-10mee (C5H2F10) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| HFC-125 (C2HF5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HFC-134 (C2H2F4) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| HFC-134a (CH2FCF3) (CAS No.: 811- 97-2) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HFC-143 (CH3F3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HFC-143a (CH3F3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HFC-152a (C2H4F2) (CAS No.: 75-37-6) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HFC-227ea (C3HF7) (CAS No.: 431-89- 0) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 23 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|---|--|--------------|-----|------------------------|---------------|
| HFC-236fa (CAS No.: 431-63-0) | 參考US EPA 5021A: 2014·以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HFC-245ca (C3H3F5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HFC-245fa (C3H3F5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HFC-365mfc (C4H5F5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| HFC-236ea (C3H2F6) (CAS No.: 431-63- 0) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 全氟化碳 (Perfluorocarbon) (PFCs) | | | | | |
| 1,4-二氫八氟丁烷 (1,4- dihydrooctafluorobutane) (CAS No.: 377-36-6) | 參考US EPA 5021A: 2014‧以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 2-全氟甲基戊烷 (2- Perfluoromethylpentane) (CAS No.: 355-04-4) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 十氟丁烷 (Decafluorobutane) (CAS No.: 355-25-9) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 24 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|--|--|--------------|-----|------------------------|---------------|
| 四氟甲烷 (F14) (CAS No.: 75-73-0) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 六氟乙烷 (Fluorocarbon 116) (CAS No.: 76-16-4) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 八氟丙烷 (Freon 218) (CAS No.: 76-19-7) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| 八氟環丁烷 (Freon C318) (CAS No.: 115-25-3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 2-全氟甲基丁烷 (Nonafluor-2- (trifluoromethyl)butane) (CAS No.: 594- 91-2) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 全氟異丁烯 (Perfluorisobutene) (CAS No.: 382-21-8) | 参考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 全氟己烷 (Perfluorohexane) (CAS No.: 355-42-0) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 全氟戊烷 (Perfluoro-n-pentane) (CAS No.: 678-26-2) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 25 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|---|--|--------------|-----|------------------------|---------------|
| 全氟-1-丁烯 (Perfluor-1-butene) (CAS No.: 357-26-6) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 氯碳氫化物 (Chlorinate hydrocarbon) (CHCs) | | | | | |
| 1,1-二氯丙烯 (1,1-Dichloropropene) (CAS No.: 563-58-6) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 1,2-二氯乙烷 (1,2-Dichloroethane) (CAS No.: 107-06-2) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 2,2-二氯丙烷 (2,2-Dichloropropane) (CAS No.: 594-20-7) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 四氯甲烷 (四氯化碳) (Carbon tetrachloride) (CAS No.: 56-23-5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 氯甲烷 (Chloromethane) (CAS No.: 74-87-3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 順-1,2-二氯乙烯 (cis-1,2- Dichloroethene) (CAS No.: 156-59-2) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 26 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|--|--|--------------|-----|------------------------|---------------|
| 5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 六氯丁二烯 (Hexachlorobutadiene) (CAS No.: 87-68-3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| 反-1,2-二氯乙烯 (trans-1,2- Dichloroethene) (CAS No.: 156-60-5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| 反-1,3-二氯丙烯 (trans-1,3- Dichloropropene) (CAS No.: 10061-02- 6) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| 二氯甲烷 (Dichloromethane, Methylene chloride) (CAS No.: 75-09-2) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 1,2-二氯丙烷 (1,2-Dichloropropane) (CAS No.: 78-87-5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 1,1,1,2-四氯乙烷 (1,1,1,2- Tetrachloroethane) (CAS No.: 630-20- 6) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| 1,1,1-三氯乙烷 (1,1,1-Trichloroethane) (CAS No.: 71-55-6) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 27 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) No.1 | 限值 (Limit) |
|---|--|--------------|-----|------------------------|---------------|
| 1,1,2-三氯乙烷 (1,1,2-Trichloroethane) (CAS No.: 79-00-5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 1,1,2,2-四氯乙烷 (1,1,2,2- Tetrachloroethane) (CAS No.: 79-34-5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| 1,1-二氯乙烯 (1,1-Dichloroethylene) (CAS No.: 75-35-4) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| 1,1-二氯乙烷 (1,1-Dichloroethane) (CAS No.: 75-34-3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 氯乙烷 (Chloroethane) (CAS No.: 75-00-3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| 四氯乙烯 (Tetrachloroethene) (CAS No.: 127-18-4) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 三氯乙烯 (Trichloroethylene) (CAS No.: 79-01-6) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | 1 |
| 1,3-二氯丙烷 (1,3-Dichloropropane) (CAS No.: 142-28-9) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023

頁數(Page): 28 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) | 限值 (Limit) |
|---|--|--------------|-----|----------------|---------------|
| 氯仿 (Chloroform) (CAS No.: 67-66-3) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | No.1 n.d. | - |
| 1,2,3-三氯丙烷 (1,2,3-Trichloropropane) (CAS No.: 96-18-4) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 溴氯甲烷 (Bromochloromethan) (CAS No.: 74-97-5) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 六氟化硫 (Sulfur hexafluoride) (CAS No.: 2551-62-4) | 參考US EPA 5021A: 2014 · 以氣相層析儀/ 質譜儀分析。(With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.) | mg/kg | 1 | n.d. | - |
| 鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-41-7) | 參考US EPA 3052: 1996.以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | - |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 29 of 45

MAGNETICS DIVISION OF SPANG & COMPANY
110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. 石綿定性分析試驗範圍: <0.1%~100%·石綿鑑定的判定基準是以檢出含有石綿纖維為『Positive』,未檢出石綿纖維為『Negative』。(Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".)
- 8. 除非另有說明·參照ILAC-G8:09/2019·採用簡單二元(w=0)允收規則進行符合性判定;根據此規則·符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 30 of 45

MAGNETICS DIVISION OF SPANG & COMPANY
110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

PFAS Remark:

現有PFAS定量技術是分析PFAS物質的特定結構,但同碳數族群之PFAS酸及鹽類物質,其可被辨識的特定結構相同,因此無法區別所分析的特定結構是來自酸或者鹽類,故測試結果為同碳數族群之PFAS之酸及鹽類物質的濃度總合。下表PFAS物質濃度皆已包含在測試結果中,相關資訊請參見下表:(下表列舉PFAS物質僅為範例,並不包含所有同碳數族群之PFAS鹽類。)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

| 物質濃度分類 (Classification of Substance Concentration) | 物質名稱 (Substance Name) | CAS No. |
|---|--|-------------|
| 全氟辛烷磺酸及其鹽類 Perfluorooctane sulfonates and its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts) | 全氟辛基磺酸鉀 (PFOS-K) Potassium perfluorooctanesulfonate (PFOS-K) | 2795-39-3 |
| | 全氟辛基磺酸鋰 (PFOS-Li) Perfluorooctanesulfonic acid, lithium salt (PFOS-Li) | 29457-72-5 |
| | 全氟辛基磺酸銨 (PFOS-NH ₄) Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄) | 29081-56-9 |
| | 全氟辛基磺酸二乙醇銨 (PFOS-NH(OH) ₂) Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂) | 70225-14-8 |
| | 全氟辛基磺酸四乙基銨 (PFOS-N(C_2H_5) ₄) Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C_2H_5) ₄) | 56773-42-3 |
| | 全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane- 1-sulfonate (PFOS-DDA) | 251099-16-8 |
| | 全氟辛基磺醯氟 (POSF) Perfluorooctane sulfonyl fluoride (POSF) | 307-35-7 |
| | 全氟辛基磺酸鎂 (PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg) | 91036-71-4 |
| | 全氟辛基磺酸鈉 (PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na) | 4021-47-0 |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023

頁數(Page): 31 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

| 物質濃度分類 (Classification of Substance Concentration) | 物質名稱 (Substance Name) | CAS No. |
|---|--|------------|
| 全氟辛酸及其鹽類 Perfluorooctanoic acid and its salts (PFOA and its salts) (CAS No.: 335-67-1 and its salts) | 全氟辛酸鈉 (PFOA-Na) Sodium perfluorooctanoate (PFOA-Na) | 335-95-5 |
| | 全氟辛酸鉀 (PFOA-K) Potassium perfluorooctanoate (PFOA-K) | 2395-00-8 |
| | 全氟辛酸銀 (PFOA-Ag) Silver perfluorooctanote (PFOA-Ag) | 335-93-3 |
| | 全氟辛氟 (PFOA-F) Perfluorooctanoyl fluoride (PFOA-F) | 335-66-0 |
| | 全氟辛酸銨 (APFO) Ammonium pentadecafluorooctanoate (APFO) | 3825-26-1 |
| | 全氟辛酸鋰 (PFOA-Li) Lithium perfluorooctanoate (PFOA-Li) | 17125-58-5 |



Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023


頁數(Page): 32 of 45

MAGNETICS DIVISION OF SPANG & COMPANY
110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023

頁數(Page): 33 of 45

MAGNETICS DIVISION OF SPANG & COMPANY
110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs





Test Report


號碼(No.): ETR23B01464

日期(Date): 14-Nov-2023 頁數(Page): 34 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023

頁數(Page): 35 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

四溴雙酚-A 分析流程圖 / Analytical flow chart - TBBP-A






Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023 頁數(Page): 36 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023

頁數(Page): 37 of 45

MAGNETICS DIVISION OF SPANG & COMPANY
110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023


頁數(Page): 38 of 45

MAGNETICS DIVISION OF SPANG & COMPANY
110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






Test Report

號碼(No.): ETR23B01464 日期(Date): 14-Nov-2023

頁數(Page): 39 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

富馬酸二甲酯分析流程圖 / Analytical flow chart - Dimethyl Fumarate





Test Report


號碼(No.): ETR23B01464

日期(Date): 14-Nov-2023

頁數(Page): 40 of 45

MAGNETICS DIVISION OF SPANG & COMPANY
110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

石綿鑑定分析流程圖 / Analysis flow chart for determination of Asbestos 【參考方法(Reference method): EPA 600/R-93/116】





Test Report


號碼(No.): ETR23B01464

日期(Date): 14-Nov-2023

頁數(Page): 41 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC





Test Report


號碼(No.): ETR23B01464

日期(Date): 14-Nov-2023

頁數(Page): 42 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

紅磷分析流程 / Analytical flow chart - Red phosphorus





Test Report

號碼(No.): ETR23B01464


頁數(Page): 43 of 45

MAGNETICS DIVISION OF SPANG & COMPANY 110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

揮發性有機化合物分析流程圖/ Analytical flow chart of volatile organic compounds (VOCs)

日期(Date): 14-Nov-2023

【參考方法/ Reference method: US EPA 5021A】





Test Report

號碼(No.): ETR23B01464

日期(Date): 14-Nov-2023

頁數(Page): 44 of 45


MAGNETICS DIVISION OF SPANG & COMPANY
110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【参考方法/Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.



Test Report

號碼(No.): ETR23B01464

日期(Date): 14-Nov-2023

頁數(Page): 45 of 45

MAGNETICS DIVISION OF SPANG & COMPANY
110 DELTA DRIVE PITTSBURGH, PENNSYLVANIA USA 15238

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR23B01464



** 報告結尾 (End of Report) **